


MODULE 1 – PINSTAMP BASICS


MODULE 2- PINSTAMP PROGRAMING



AIR REGULATOR



FLOATING PIN TECHNOLOGY



Pinstamp Pins

10MP Micropin



Cone Angle	30, 45 Degree
Material	Carbide
Application	Small dots
Length	0.62"/16mm
Markers	TMP1700, TMM4200, TMM5400

25S



Cone Angle	22, 30, 45, 60 Degree
Material	Carbide or Powdered Steel
Application	Standard
Length	1.8"/45mm
Markers	TMP2100, TMP4210, TMM5400, TMP3200, TMM4200, TMM4215, TMM4250

25L



Cone Angle	22, 30, 45, 60 Degree
Material	Carbide or Powdered Steel
Application	Longer pin
Length	2.2"/55mm
Markers	TMP6100, TMM5100, TMP1700, TMP3200, TMM7200

25XL



Cone Angle	22, 30, 45, 60 Degree
Material	Carbide or Powdered Steel
Application	Xtra Long reach
Length	2.5"/64mm
Markers	TMP6100, TMM5100, TMM7200, TMP1700, TMP3200, DPP2000

25XLE



Cone Angle	30, 45 Degree
Material	Carbide
Application	Xtra Long Pin Electric Markers
Length	1.8"/46mm
Markers	TMP1700, TMP3200, TMP6100, Benchmark 200, Benchmark 320, Benchmark 460

Pinstamp Pins

101



Cone Angle	30, 45, 60 Degree
Material	Carbide, Powdered Steel
Application	Deeper marks
Length	3.9"/99mm
Markers	TMM5100, TMM7200

150SA



Cone Angle	30, 45, Degree
Material	Carbide tipped,
Application	Deep fast marks
Length	2.75"/70mm
Markers	TMP2100, TMP6100, TMP3200, TMM4200, TMM4215, TMP4210, TMM4250, TMM7200, TMP1700

150



Cone Angle	30, 45 Degree
Material	Carbide, Powdered Steel
Application	Deepest mark
Length	5.25"/133.4mm
Markers	TMM7200, TMP7000

4500E



Cone Angle	30, 45 Degree
Material	Steel with Carbide
Application	Custom for 4500E
Markers	4500E

Scribe



Cone Angle	30, 45 Degree
Material	Powdered Steel with Diamond Tip
Application	Scribe
Markers	SC5000, SC3500, SC2500, SS3700, SC6000

Scribe



Cone Angle	30, 45 Degree
Material	Carbide
Application	Scribe
Markers	SC5000, SC3500, SC2500, SS3700, SC6000

CARTRIDGES


CLIP-ON STYLE



SCREW IN STYLE (USES 2.5MM WRENCH)



MULTI-PIN STYLE



SCRIBE



STOCK NUMBER	PIN OPTIONS	MARKERS	PICTURE
26862	25XLE	BENCHMARK 200 BENCHMARK 320 BENCHMARK 460 BENCHMARK 320M	
39760	19MM	SC2000 SC2500 SC3500	
38387	23.7MM	SC5000	
38388	28.5MM	SC5000	
39936	23.7MM	SC5000	
81027	23.7MM	SC6000VIN	
74681	23.7MM	SS3700	

STOCK NUMBER	PIN OPTIONS	MARKERS	PICTURE
46387	150S 2PIN, 24MM CENTERS	TMM4200 TMM4250	
50788	25S 4PIN, 12MM CENTERS	TMM4200 TMM4250	
50787	25S 4PIN, 6MM CENTERS	TMM4200 TMM4250	
61958	150SA 2PIN, 50MM CENTERS	TMM4215	
61999	25S 2PIN, 50MM CENTERS	TMM4215	
16840, 13763, 17456, 15289, 16583, 16584, 18511, 18502, 16839, 16841, 13762	VARIOUS	TMM5100	
43277	25S 8PIN, 12MM CENTERS	TMM5400	
43335	25S 8PIN, 6MM CENTERS	TMM5400	

STOCK NUMBER	PIN OPTIONS	MARKERS	PICTURE
15669	150S	TMP1700 TMP6100	
13688	27L	TMP1700 TMP6100	
14961	25L OR 25XL	TMP1700 TMP6100	
62616	10MP	TMP1700	
26862	25XLE	TMP1700E TMP6100E	
37148	150SA	TMP2100 TMP3200	
45748	25S	TMP2100 TMP3200	

STOCK NUMBER	PIN OPTIONS	MARKERS	PICTURE
37149	25L OR 25XL	TMP3200	
35200	25L OR 25XL- LONG	TMP3200	
57497	150SA	TMP4210	
57498	25S	TMP4210	
37148	150SA	TMP4750	
45748	25S	TMP4750	
51673	150	TMP7000	